



Anhad International

Supplier and Exporter of :
Automotive Components
& Engineering Goods

Reach Us at

Contact: +91- 98778-10562, 97798-75814

Email: anhadengineers@gmail.com

Website: www.anhadinternational.com

Address

B-22-1665/8, St. 12, Dashmesh Nagar
Gill Road, Ludhiana-141003
Punjab- (India)



Index

Part	Contents	Page	Part	Contents	Page
	U.J Cross	1-2		Mid Slip Stub Shaft/ Front Teeth	20-21
	Tube Yoke/ Half Yoke	3-4		Long Fork & Sleeve Bottle Set	22-23
	Flange Yoke/ Cross Holder	5-9		Long Fork Assy. With Dust Cover	24-25
	Yoke & Teeth Set	10-13		Rear Housing/ Sleeve Bottle	26-28
	Slip Yoke Assy/ Sleeve Yokers	14-15		Coupling	29
	Slip Stub Shaft / Rear Teeth	16-19	General Engineering Goods		30

U.J. Cross



Part No.	Application	STD. Pack (Pcs)	Cup Dia. (mm)	Cross Length (mm)
AI-1	TATA-1210,608,609,807,407 REAR	24	38	102
AI-2	TATA-1210,608, 609, 807,407 REAR (GREASLESS)	24	38	102
AI-3	TATA- 2515 EX CUP DIA 42.00MM RSB 325	16	42	119
AI-4	TATA -1613 TURBO, 2515 HYWA, RSB TYPE, RSB 403	16	42	129
AI-5	TATA 2515/1623 AL 3518 SPR 2040 SERIES	10	47.68	135.17
AI-6	TATA 2515/1623 AL 3518 SPR 2040 SERIES (GREASLESS)	10	47.68	135.17
AI-7	TATA- 1312, 1516, 1510, 1612, 2213, 2416 (TURBO), 2515 TC (EX)	16	46	119.6
AI-8	TATA- 1312, 1516, 1510, 1612, 2213, 2416 (TURBO), 2515 TC (EX) (GREASLESS)	16	46	119.6
AI-9	TATA 4928 PRIMA VOLVO RSB 490, SPICER 2045 SERIES	6	52	147
AI-10	TATA 4928 PRIMA VOLVO RSB 490, SPICER 2045 SERIES (GREASLESS)	6	52	147
AI-11	TATA 4923 SPICER 2055, RSB 620 SERIES	6	57	152
AI-12	TATA 4018 CIRCLIP TYPE, CUP DIA 48.00MM RSB TYPE	10	48	135
AI-13	TATA 4018 CIRCLIP TYPE, CUP DIA 48.00MM RSB TYPE (GREASLESS)	10	48	135
AI-14	TATA 4018 PATTI TYPE, AMW TRUCK MAHINDRA NAVISTAR	6	49.2	154.9
AI-15	LEYAND TAURAS 2515 (CIRCLIP DESIGN)	10	47.62	135
AI-16	LEYAND TUSKER HINNO, 1612 EICHER TRUCK 20.16 JUMBO	24	34.92	126.2
AI-17	2515 (TC) EX TATA LEYLAND SPICER TYPE L/L 2214	16	41.27	126
AI-18	EICHER CANTER 30.18 X 106.20	24	30.18	106.2



Part No.	Application	STD. Pack (Pcs)	Cup Dia. (mm)	Cross Length (mm)
AI-19	JCB 3DX TATA - 1109 EX, 407 PICKUP	16	34.92	106.35
AI-20	EICHER PRO 8000 (INDUSTRIAL USES)	6	65	172
AI-21	TATA LPK 3138, LPT 5252, 3138, 2138, L/L LEYLAND-FV-2636, EICHER 40 TON, MAN 3128	6	59	167.7
AI-22	UJ CROSS TATA 407 TURBO, SPICAR SHAFT, XYLO SCORPIO	24	30.17	92.00
AI-23	JEEP MAHINDRA, OLD MODEL MAXIMO, JEEP DIESEL MARSHAL	30	27	81.6
AI-24	UJ CROSS TATA 407, TATA MOBILE 406, SIERRA, SUMO	24	30	81.80
AI-25	ROTAVITOR (4 NIPPLE)	24	38	102
AI-26	ROTAVITOR (1 SIDE NIPPLE ON CUP)	24	38	102
AI-27	UJ CROSS RARA ACE N/M MAGIC	30	22	55
AI-28	UJC AMW 2523	6	52	133

Tube Yoke / Half Yoke



Part No.	Application	Cross Size (mm)	Pipe Dia in mm / inch	Total Length (mm / inch)
AI-29	TATA 1312 (72MM)	46	72 / 2.75"	136 / 5.25"
AI-30	TATA 1312 (90MM)	46	84 / 3.5"	136 / 5.25"
AI-31	TATA 4018/3118 L.P.O 1623/1618/1615/1625/L/L2515/3213	49.2 X 154.8	95 / 4.0"	142 / 5.5"
AI-32	TATA L/L INTERAXLE 1710 SERIES, L/L 2516 TIPPER INTERAXLE	34.92 X 126.2	95 / 4.0"	110 / 4.25"
AI-33	TATA 407	30 X 81.80	54 / 2.0"	95 / 3.75"
AI-34	TATA 1210E	38	68.2 / 2.75"	120 / 4.75"
AI-35	TATA 1210	38	64 / 2.5"	122 / 4.75"
AI-36	Tata LPK 2516, 1615	41.27 X 126	84 / 3.5"	132 / 5.25"
AI-37	TATA 407 TURBO EX 909, 709 LPK	30.17 X 106	71.5 / 2.75"	93 / 3.75"
AI-38	Tata 407 TML/MSM 900	30.17 X 92	71.5 / 2.75"	97 / 4.0"
AI-39	TATA 1109	34.92 X 126.2	84.15 X 3.5"	111 / 4.5"
AI-40	TATA 4018 RSB EXTRA LONG	48 x 135	95 / 4.0"	138 / 5.5"
AI-41	TATA 407 PICK UP	34.92 x 106	84 / 3.5"	95 / 3.75"
AI-42	TATA 407 PICK UP	34.92 x 106	72 / 2.75"	95 / 3.75"
AI-43	TATA LPS 4928, LPTA 3138, LPK 528 L/L 3119N, BHARAT BENZ 2523C, 2528C, 3128C, 4928TT	47.68 x 135	91.35 / 3.5"	154 / 6.0"
AI-44	TATA LPS 4028 LPK 3128, L/L 3123 BHARAT BENZ 2523C	52 x 133	95 / 4.0"	147.5 / 6.0"
AI-45	TATA LPTA 1828,, LPO 2138, L/L HMV6x6 SHA- 8T MERITOR	52 x 147	112.35 / 4.5"	160 / 6.25"



Part No.	Application	Cross Size (mm)	Pipe Dia in mm / inch	Total Length (mm / inch)
AI-46	TATA LPTA- 1628, 2038-L/L 4936, BHARAT BENZ LTPA-1628, LTPA-2038	57 x 152	112.35 / 4.5"	160 / 6.25"
AI-47	TATA LPK 3138,L/L-FV-2636,EICHER 40T TIPPER MAN 31.28	59 x 167.7	118.4 / 4.75"	166 / 6.5"
AI-48	TATA LPS 4928,LPTA 3138,LPK 528, L/L 3119N, BHARAT BENZ 2523C, 2528C, 3128C, 4928TT	47.68 x 135	114.35 / 4.5"	140 / 5.5"
AI-49	TATA 2518 SPL 90	41.27 x 126	95 / 4.0"	139 / 5.5"
AI-50	L/L 2214 (97MM)	41.27 X 126	97 / 4.0"	130 / 5.0"
AI-51	L/L TUSKER 3"	34.92 x 126.2	71.5 / 2.75"	109 / 4.25"
AI-52	L/L TUSKER 3.5" TATA 1510TC	34.92 x 126.2	84.2 / 3.5"	103 / 4.0"
AI-53	L/L TAURUS	47.62 x 135	82.5 / 3.25"	156 / 6.0"
AI-54	CANTER	30.17 x 106	71.5 / 2.75"	97.5 / 4.0"
AI-55	HY JEEP	27 x 81.8	61.3 / 2.75"	84 / 4.0"
AI-56	L/L 2214 (95MM) TCAC TUSKER SUPER TATA	41.27 x 126	95 / 4.0"	130 / 5.0"
AI-57	RSB590	52 x 147	95 / 4.0"	158 / 6.25"
AI-58	SPICER 2045	52 x 147	100.3 / 4.0"	161 / 6.25"
AI-59	RSB 2515 EX (325 SERIES)	42 x 119	84 / 3.5"	132 / 5.25"
AI-60	RSB 2518 (403 SERIES)	42 x 129	95 / 4.0"	139 / 5"
AI-61	RSB- 2515 EX (325 SERIES) 4" Pipe Fitting	42 x 119	95 / 4.0"	133 / 5.25"
A1-62	RSB-2518 LONG 403 SERIES HT 145MM	42 x 129	95 / 4.0"	148 / 6.0"
A1-63	RSB 4018 (490SERIES)	48 x 135	95 / 4.0"	138 / 5.5"

Flange Yoke / Cross Holder



Part No.	Application	Cross Size (mm)	No. of Holes	Hole Size (mm)	Bolt No.	Plate Size mm / inch	Total Length mm / inch
AI-64	TATA 1312 /1616 2416 / 2213	46	8	10.2	17 No.	130 / 5.0"	114 / 4.5"
AI-65	TATA 1312N/M, TIPPER	46	6	10.2	17 No.	120 / 4.75"	114 / 4.0"
AI-66	TATA 2515 TC L/L2516, TUSKER LONG INTERAXLE	34.92 x 126.2	4	12.8	21 No.	SQUARE	105 / 4.0"
AI-67	TATA 2515 LPO 1616 BUS 1625 BUS LPO 1628/LPO 2521	41.27 × 126	8	12.2	19 No.	150 / 6.0"	116 / 4.5"
AI-68	TATA 2515 EX (BIG NUT)	41.27 × 126	8	10.2	17 No.	130 / 5.0"	113 / 4.5"
AI-69	TATA 1210	38	6	10.2	17 No.	120 / 4.75"	90 / 3.5"
AI-70	TATA 1210 N/M	38	8	10.2	17 No.	130 / 5.0"	90 / 3.5"
AI-71	TATA 2518 LPK	46	8	12.2	19 No.	150 / 6.0"	124 / 5.0"
AI-72	TATA 4018 PATTI TYPE	49.2 × 154.8	8	16.2	24 No.	165 / 6.5"	134 / 5.25"
AI-73	TATA 407	30 × 81.80	6	8.2	13 No.	100 / 4.0"	73 / 3.0"
AI-74	TATA 407 TURBO N/M	30.17 × 92	6	8.2	13 No.	100 / 4.0"	70 / 2.75"
AI-75	TATA 1312 O.E TYPE	46	8	10.2	17 No.	130 / 5.0"	116 / 4.5"
AI-76	TATA 2518 N/M (RSB TYPE)	42 × 119	8	12.2	19 No.	150 / 6.0"	107 / 4.25"
AI-77	TATA 3118/2521L/L3116/161 6 (SERATED)	41.27×126	4	13.0	19 No.	150 / 6.0"	104 / 4.0"



Part No.	Application	Cross Size (mm)	No. of Holes	Hole Size in mm	Bolt No.	Plate Size mm/inch	Total Length mm/inch
AI-78	TATA 407 TURBO EX 410/709/909	30.17 × 106	6	10.2	17 No.	120 / 4.75"	87 / 3.5"
AI-79	TATA 407 PICK UP	34.92 × 106	6	10.2	17 No.	120 / 4.75"	88 / 3.5"
AI-80	TATA 3118/1618/2518 252/AMW 2518L/L 2516/4921	49.2 × 154.8	4	13.0	19 No.	150 / 6.0"	113 / 4.5"
AI-81	TATA 1623/1625/1628 (SERRATED) HT.120 MM	49.2 × 154.8	4	15.0	22 No.	180 / 7.0"	120 / 4.75"
AI-82	TATA 2518 N/M (RSB BIG TYPE)	42×129	8	12.2	19 No.	150 / 6.0"	116 / 4.5"
AI-83	TATA 2518 TC N/M TUSKER LONG	41.27 × 126	4	12.8	21 No.	SQUARE	105 / 4.25"
AI-84	TATA 4018 SERRATED	49.2	4	13.0	19 No.	150 / 6.0"	115 / 4.5"
AI-85	TATA 2515 EX (SERRATED) HT.110MM	42 × 119	4	11.1	18 No.	150 / 6.0"	107 / 4.25"
AI-86	TATA 2515 EX (SERRATED) HT.110MM	42 × 119	4	13.0	19 No.	150 / 6.0"	110 / 4.25"
AI-87	TATA 1109	34.92×126.2	8	10.2	17 No.	130 / 5.0"	115 / 4.5"
AI-88	TATA 1109	34.92×126.2	6	10.2	17 No.	120 / 4.75"	90 / 3.5"
AI-89	TATA 2518 SERRATED HT 130MM	41.27×126	4	13.0	19 No.	150 / 6.0"	118 / 3.25"
AI-90	TATA 4018 HYWA SPL 90 HT 135MM	41.27×126	8	16.0	24 No.	165 / 6.5"	133 / 5.25"



Part No.	Application	Cross Size (mm)	No. of Holes	Hole Size in mm	Bolt No.	Plate Size mm/inch	Total Length mm/inch
AI-91	TATA 2518 SPL 90 SERRATED	41.27×126	4	11.1	18 No.	130 / 5.0"	107 / 4.25"
AI-92	TATA 3318/1618/2518/2512/ AMW 2518 L/L 2516/4921	49.0×154.8	4	13.0	19 No.	150 / 6.0"	62 / 5.0"
AI-93	TATA LPS 4928,LPTA 3138,LPK 2528,L/L 3119N,BHARAT	47.68×135	4	13.0	19 No.	150 / 6.0"	138 / 5.5"
AI-94	TATA LPS 4028,LPK 3128L/L 3123,NHARAT BENZ 2523C	52×147	4	13.0	19 No.	150 / 6.0"	125 / 5.0"
AI-95	TATA 4018 SERRATED	52×147	4	15.0	22 No.	180 / 7.0"	123 / 4.75"
AI-96	TATA LPTYA1828 LPO 2138,L/L HMV 6×6 SHA-8T MERITOR	52×133	4	15.0	22 No.	180 / 7.0"	130 / 5.0"
AI-97	TATA LPTA-1628 2038 –L/L 4936 BHARAT BENZ LTPA-1628	57×152	4	15.0	22 No.	180 / 7.0"	137 / 5.5"
AI-98	TATA LPK 3138,L/L- FV-2636,EICHER 40T TIPPER,MAN 31.	59×167.7	4	15.0	22 No.	180 / 7.0"	143 / 5.75"
A1-99	TATA 3118RSB 590 (6") SPR 2045 SERRATED	52×147	4	13.0	19 No.	150 / 6.0"	140 / 5.5"
AI-100	TATA 3118 RSB 590 (7") SPR 2045 SERRATED	52×147	4	15.0	22 No.	180 / 7.0"	140 / 5.5"



Part No.	Application	Cross Size (mm)	No. of Holes	Hole Size in mm	Bolt No.	Plate Size mm/inch	Total Length mm/inch
AI-101	TATA 3118 SPR 2040 SERRATED	47.68×135	4	15.0	22 No.	180 / 7.0"	130 / 5.0"
AI-102	TATA 909 LPK LPO 407/LPT 709 120mm DIA (3-2-15) SERRATED	34.92×106	4	11.1	18 No.	120 / 4.75"	89 / 3.5"
AI-103	TATA 3118 SPL 2040 SERRATED	47.68×135	4	15.0	22 No.	150 / 6.0"	115 / 4.5"
AI-104	TATA 2518 CROSS HOLDER SPL 2040 SERRATED	47.68×135	4	13.0	19 No.	150 / 6.0"	119 / 4.75"
AI-105	TATA 2518	42×119	4	13.0	19 No.	150 / 6.0"	128 / 5.0"
AI-106	L/L 2214 2516/1616/TC AC/EICHER	41.27×126	8	9.7	15 No.	175 / 7.0"	116 / 4.5"
AI-107	L/L 350/370 BEDFORD	39.68×115.4	4	12.8	21 No.	146 / 6.0"	98 / 4.0"
AI-108	L/L TUSKER	34.92×126.2	4	12.8	21 No.	SQUARE	80 / 3.0"
AI-109	L/L TAURUS	47.62×135	8	9.7	15 No.	175 / 7.0"	110 / 4.25"
AI-110	L/L 2516 RSB SERIES	42×129	8	9.7	15 No.	175 / 7.0"	136 / 5.5"
AI-111	L/L IVECOSERRATED	34.92×126.2	4	11.1	18 No.	120 / 4.75"	91 / 3.5"
AI-112	L/L 2516 TUSKER SERRATED	34.92×126.2	4	13.0	19 No.	150 / 6.0"	93 / 3.75"
AI-113	RSB BIG 403 SERIES TATA 2518	42×129	8	16.2	24 No.	165 / 6.5"	133 / 5.25"
AI-114	RSB 4018	48×135	8	16.2	24 No.	165 / 6.5"	125 / 5.0"
AI-115	RSB 325 SERIWS TATA 2515 EX BIG NUT	42×119	8	10.2	17 No.	130 / 5.0"	114 / 4.5"



Part No.	Application	Cross Size (mm)	No. of Holes	Hole Size in mm	Bolt No.	Plate Size mm/inch	Total Length mm/inch
AI-116	CANTER	30.17×106	4	12.2	19 No.	SQUARE	75 / 3.0"
AI-117	SWARAJ MAZDA ROUND 120MM	30.17×106	4	11.1	18 No.	120 / 4.75"	61 / 2.5"
AI-118	CROSS HOLDER JEEP	27×81.8	4	9.7	15 No.	SQUARE	63 / 2.5"
AI-119	RSB 103 SERIES TAAT 2518, SERRATED, HT.125MM	42×129	4	13.0	19 No.	150 / 6.0"	128 / 5.0"
AI-120	RSB 403 SERIES TAAT 2518, SERRATED, HT.110MM	42×129	4	13.0	19 No.	150 / 6.0"	110 / 4.25"
AI-121	RSB 490 TATA 4018 (SERRATED) HEIGHT 4"HT.115	48×135	4	13.0	19 No.	150 / 6.0"	119 / 4.75"
AI-122	AMW 2518/EICHER 40.25	49.2×154.8	12	12.2	19 No.	200 / 8.0"	109 / 4.25"
AI-123	RSB 490 SERIES TATA 4018 (SERRATED) HEIGHT	48×135	4	13.0	19 No.	150 / 6.0"	133 / 5.25"
AI-124	CANTER SERRATED	30.17×106	4	11.1	18 No.	120 / 4.75"	82 / 3.25"
AI-125	RSB 490 SERIES TATA 4018 (SERRATD) L/L 4921, HT. 110	48×135	4	15.0	22 No.	180 / 7.0"	112 / 4.5"
AI-126	RSB 490 SERIES TATA 4018 (SERRATD) L/L 4921, HT. 110	48×135	4	15.0	22 No.	180 / 7.0"	126 / 5.0"

Yokes & Teeth Set



Part No.	Application	No. of Splines	Cross Size (mm)	Pipe Dia. (mm / inch)
AI-127	TATA 1312/1612/1510/2416/2213/256x291	16	46	84 / 3.5"
AI-128	TATA 1312/1612/1510/2416/2213 COATED	16	46	84 / 3.5"
AI-129	TATA 1312 LONG 1612/390/338	16	46	84.4 / 3.5"
AI-130	TATA 1312 LONG 1612 COATED	16	46	84.4 / 3.5"
AI-131	TATA INTERAXLE L/L 2516/2518, MINING TIPPER 6x4	30/16	34.92x126.2	84.4 / 3.5"
AI-132	TATA INTERAXLE L/L 2516/2518, MINING TIPPER 6x4	30/16	94.92x126.2	84.4 / 3.5"
AI-133	TATA 2516 LPK, HYWA L/L 2214-E-COMET	30	41.27x126	84.4 / 3.5"
AI-134	TATA 2516 LPK COATED, HYWA, L/L 2214-E-COMET	30	41.27x126	84.4 / 3.5"
AI-135	TATA 4018, AMW/2516/MINING TIPPER PATTI	16	49.2x154.8	95 / 4.0"
AI-136	TATA 4018 COATED	16	49.2x154.8	95 / 4.0"
AI-137	TATA 1210 SE	10	38	68.2 / 2.75"
AI-138	TATA 1210 SE COATED	10	38	68.2 / 2.75"
AI-139	TATA 1210/1109	10	38	64 / 2.5"
AI-140	TATA 1210 COATED	10	38	64 / 2.5"
AI-141	TATA 407	16	30x81.8	54 / 2.0"
AI-142	TATA 407 COATED	16	30x81.8	54 / 2.0"
AI-143	TATA 407 TURBO BEARING 88507	16	27x81.8	59.5 / 2.25"



Part No.	Application	No. of Splines	Cross Size (mm)	Pipe Dia. (mm / inch)
AI-144	TATA 407 TURBO BEARING 88507 COATED	16	27x81.8	59.5 / 2.25"
AI-145	TATA 1613 THICK SPLINE	16	41.27x126	95 / 4.0"
AI-146	TATA 1613 THICK SPLINE COATED	16	41.27x126	95 / 4.0"
AI-147	TATA 407 TURBO BEARING 6207/88507	16	30.17x92	72.2 / 2.75"
AI-148	TATA 407 TURBO BEARING 6207/88507 COATED	16	30.17x92	72.2 / 2.75"
AI-149	TATA 407 PICKUP BEARING 6207/88507	16	30.17x92	71.8 / 2.75"
AI-150	TATA 407 PICKUP BEARING 6207/88507 COATED	16	30.17x92	71.8 / 2.75"
AI-151	YOKE 407 + LONG TEETH WITH BEARING 6207	16	30x81.8	54 / 2.0"
AI-152	YOKE 407 + LONG TEETH WITH BEARING 6207 COATED	16	30x81.8	54 / 2.0"
AI-153	TATA 407 TURBO EX/709/909 WITH BEARING 6208	16	30.17x92	71.8 / 2.75"
AI-154	TATA 407 TURBO EX/709/909 WITH BEARING 6208 COATED	16	30.17x92	71.8 / 2.75"
AI-155	TATA 4018 LONG 3118/2521 AMW 2518 MAN 25T	16	49.2x154.8	95 / 4.0"
AI-156	TATA 4018 LONG 3118/2521 AMW 2518 MAN 25T COATED	16	49.2x154.8	95 / 4.0"
AI-157	407 PICK UP	16	34.92x106	84.7 / 3.5"
AI-158	407 PICK UP COATED	16	34.92x106	84.7 / 3.5"
AI-159	407 PICK UP, EICHER CANTER 11.10,11.10-XP	16	34.92x106	71.8 / 2.75"
AI-160	407 PICK UP, EICHER CANTER 11.10,11.10-XP COATED	16	34.92x106	71.8 / 2.75"



Part No.	Application	No. of Splines	Cross Size (mm)	Pipe Dia. (mm / inch)
AI-161	TATA 2518	16	46	95 / 4.0"
AI-162	TATA 2518 COATED	16	46	95 / 4.0"
AI-163	TATA 407 6-WHEELER WITH BEARING 6207 SPLINES 407 O/M	16	30.17x106	71.8 / 2.75"
AI-164	TATA 407 6-WHEELER WITH BEARING 6207 SPLINES 407 O/M COATED	16	30.17x106	71.8 / 2.75"
AI-165	YOKE & TEETH SET 407 TURBO N/M MSL BEARING 88508/6208	16	34.92x126.2	71.8 / 2.75"
AI-166	YOKE & TEETH SET 407 TURBO N/M MSL BEARING 88508/6208 COATED	16	34.92x126.2	71.8 / 2.75"
AI-167	TATA 2515/2518 L/L 2516/3516 10"(THIN SPLINE)	30	41.27x126	95 / 4.0"
AI-168	TATA 2515/2518 L/L 2516/3516 10"(THIN SPLINE) COATED	30	41.27x126	95 / 4.0"
AI-169	TATA 2515/2518 L/L 2516/3516 10"(THICK SPLINE)	16	41.27x126	95 / 4.0"
AI-170	TATA 2515/2518 L/L 2516/3516 10"(THICK SPLINE) COATED	16	41.27x126	95 / 4.0"
AI-171	L/L 2214 MSL SHAFT	16	47.62x135	95 / 4.0"
AI-172	L/L 2214 MSL SHAFT COATED	16	47.62x135	95 / 4.0"
AI-173	L/L 8" (THIN SPLINE)	30	41.27x126	95 / 4.0"
AI-174	L/L 8" (THIN SPLINE) COATED	30	41.27x126	95 / 4.0"
AI-175	L/L TUSKER 3"	16	34.92x126.2	71.5 / 2.75"
AI-176	L/L TUSKER 3" COATED	16	34.92x126.2	71.5 / 2.75"



Part No.	Application	No. of Splines	Cross Size (mm)	Pipe Dia. (mm / inch)
AI-177	L/L 1613 TURBO	16	34.92x126.2	84 / 3.5"
AI-178	L/L 1613 TURBO COATED	16	34.92x126.2	84 / 3.5"
AI-179	L/L TUSKER 3.5" TATA 1510 TC	16	34.92x126.2	84.4 / 3.5"
AI-180	L/L TUSKER 3.5" TATA 1510 TC COATED	16	34.92x126.2	84.4 / 3.5"
AI-181	L/L TAURUS	16	47.62x135	82.7 / 3.5"
AI-182	L/L TAURUS COATED	16	47.62x135	82.7 / 3.5"
AI-183	L/L TAURUS N/M EXTRA LONG	16	47.62x135	82.7 / 3.5"
AI-184	L/L TAURUS N/M EXTRA LONG COATED	16	47.62x135	82.7 / 3.5"
AI-185	L/L E-COMET L/L STAG	16	34.92x126.2	84 / 3.5"
AI-186	L/L E-COMET L/L STAG COATED	16	34.92x126.2	84 / 3.5"
AI-187	L/L 1613 TURBO	16	41.27x126	82.7 / 3.5"
AI-188	L/L 1613 TURBO COATED	16	41.27x126	82.7 / 3.5"
AI-189	L/L 1613 TURBO	16	41.27x126	84 / 3.5"
AI-190	L/L 1613 TURBO COATED	16	41.27x126	84 / 3.5"
AI-191	SET L/L 3118 SPL 90 MSL TYPE COATED	16	41.27x126	95 / 4.0"
AI-192	CANTER	16	30.17x106	71.5 / 2.75"
AI-193	CANTER COATED	16	30.17x106	71.5 / 2.75"
AI-194	TATA 1510 TC SFC 709X BSII/MSC	16	34.92x126.2	84.4 / 3.5"

Slip Yoke Assy / Sleeve Yoke



Part No.	Application	No. of Splines	Cross Size	Total Length mm/inch
AI-195	TATA 1312/1612/2416/2213	16	46	265 / 10.5"
AI-196	TATA 1312 LONG	16	46	309 / 12.25"
AI-197	TATA 4018, L/L 2516	16	49.2×154.8	281 / 11.0"
AI-198	TATA INTERAXLE 2516	30/16	34.92×126.2	356 / 14.0"
AI-199	TATA 1210 SE	10	38	215 / 8.5"
AI-200	TATA 1210	10	38	207 / 8.0"
AI-201	TATA 407	16	30×81.8	168 / 6.5"
AI-202	TATA 407 TURBO/JEEP	16	27×81.8	168 / 6.5"
AI-203	TATA 407/1210 CONVERTED	10	38	207 / 8.0"
AI-204	CANTER TATA 407 TURBO EX 709/909	16	30.17×106	195 / 7.75"
AI-205	TATA 3118 (4018 LONG) 2518/2521, AMW 2518, MAN 25T	16	49.2×154.8	329 / 13.0"
AI-206	SLEEV YOKE AMW 2518 INTERFAXLE SHAFT SPICER TYPE	16	41.27×126	305 / 12.0"
AI-207	TATA 407 PICK UP	16	34.92×106	197 / 8.0"
AI-208	SLEEV YOKE TATA 407 TURBO N/M MSL	16	34.92×126.2	200 / 8.0"
AI-209	407 PICKUP	16	30.17×106	186 / 7.25"
AI-210	L/L 3118 SPL 90 MSL TYPE SIILAR K269A	16	41.27×126	355 / 14.0"
AI-211	TATA L/L 1/A 1710 SERIES	16	34.92×126.2	34 / 13.5"
AI-212	TATA L/L 1/A 1710 SERIES	16	41.27×126	359 / 14.0"




Part No.	Application	No. of Splines	Cross Size	Total Length mm/inch
AI-213	TATA L/L 1/A 1710 SERIES	16	41.27×126	325 / 12.75"
AI-214	S/Y TATA SUPER ACE MAXIMO/JEEP	22	27×81.8	155 / 12.75"
AI-215	L/L E. COMET STAG	16	34.92×126.2	265 / 10.5"
AI-216	L/L TAURUS LONG	16	47.62×135	269 / 10.5"
AI-217	L/L TAURUS	16	47.62×135	240 / 9.5"
AI-218	L/L 1613 TURBO EURO 11	16	34.92×126.2	246 / 9.75"
AI-219	L/L TUSKER TATA 1510 TC	16	34.92×126.2	207 / 8.0"
AI-220	L/L 350/370 J4/J6 BEDFORD	16	39.68×115.4	202 / 8.0"
AI-221	L/L 8" 3516/3014/4018 TATA 1616/1613	16	41.27×126	253 / 10.0"
AI-222	L/L 8" 3516/3014/4018 TATA 1616/1613	30	41.27×126	253 / 10.0"
AI-223	L/L 2214 10" (THICK SPLINES) TATA 2515 EX	16	41.27×126	296 / 11.75"
AI-224	L/L 2214 10" (THIN SPLINES)	30	41.27×126	296 / 11.75"
AI-225	CANTER TATA 407 TURBO EX 709/909	16	30.17×106	194 / 7.5"

Slip Stub Shaft / Rear Teeth



Part No.	Application	No. of Splines	Pipe Dia. (mm/inch)	Total Length (mm/inch)
AI-226	TATA 1312, 1612, 2213/1510	16	84 / 3.50"	291 / 11.50"
AI-227	TATA 1312, 1612, 2213/1510 COATED	16	84 / 3.50"	291 / 11.50"
AI-228	TATA 1312 LONG	16	84 / 3.50"	338 / 13.25"
AI-229	TATA 1312 LONG COATED	16	84 / 3.50"	338 / 13.25"
AI-230	TATA 4018 AMW	16	95 / 4.00"	265 / 10.50"
AI-231	TATA 4018 AMW COATED	16	95 / 4.00"	265 / 10.50"
AI-232	TATA LPK 10" THIN SPLINE	30	84.4 / 3.50"	265 / 10.50"
AI-233	TATA LPK 10" THIN SPLINE COATED	30	84.4 / 3.50"	265 / 10.50"
AI-234	TATA INTERAXLE 2516	30/16	84 / 3.50"	313 / 12.25"
AI-235	TATA INTERAXLE 2516 COATED	30/16	84.4 / 3.50"	313 / 12.25"
AI-236	TATA 1210 SE	10	68.2 / 2.75"	223 / 8.75"
AI-237	TATA 1210 SE COATED	10	68.2 / 2.75"	223 / 8.75"
AI-238	TATA 1210	10	64 / 2.50"	224 / 8.75"
AI-239	TATA 1210 COATED	10	64 / 2.50"	224 / 8.75"
AI-240	TATA 407	16	54 / 2.00"	168 / 6.50"
AI-241	TATA 407 COATED	16	54 / 2.00"	168 / 6.50"
AI-242	TATA 407 TURBO	16	59.5 / 2.25"	198 / 8.00"
AI-243	TATA 407 TURBO COATED	16	59.5 / 2.25"	198 / 8.00"
AI-244	TATA 407/1210 CONVERTED	10	54 / 2.00"	212 / 8.25"
AI-245	TATA 407/1210 CONVERTED COATED	10	54 / 2.00"	212 / 8.25"

				
Part No.	Application	No. of Splines	Pipe Dia. (mm/inch)	Total Length (mm/inch)
AI-246	TATA 1613	16	82.7 / 3.50"	226 / 9.00"
AI-247	TATA 1613 COATED	16	82.7 / 3.50"	226 / 9.00"
AI-248	TATA 407 TURBO N/M MSL TYPE BEARING NO.88507/6207	16	72.2 / 2.75"	201 / 8.00"
AI-249	TATA 407 TURBO N/M MSL TYPE BEARING NO.88507/6207 COATED	16	72.2 / 2.75"	201 / 8.00"
AI-250	TATA 407 TURBO N/M BEARING NO.88507/6207	16	54 / 2.0"	226 / 9.00"
AI-251	TATA 407 TURBO N/M BEARING NO.88507/6207 COATED	16	54 / 2.0"	226 / 9.00"
AI-252	TATA 407 TURBO EX/709/909 BEARING NO.6208/88508	16	71.8 / 2.75"	230 / 9.00"
AI-253	TATA 407 TURBO EX/709/909 BEARING NO.6208/88508 COATED	16	71.8 / 2.75"	230 / 9.00"
AI-254	TATA 3118 4018 EXTRA LONG	16	95 / 4.00"	295 / 11.50"
AI-255	TATA 3118 4018 EXTRA LONG COATED	16	95 / 4.00"	295 / 11.50"
AI-256	TATA 407 PICK UP	16	84.7 / 3.50"	192 / 7.50"
AI-257	TATA 407 PICK UP COATED	16	84.7 / 3.50"	192 / 7.50"
AI-258	TATA 407 PICK UP	16	71.8 / 2.75"	192 / 7.50"
AI-259	TATA 407 PICK UP COATED	16	71.8 / 2.75"	192 / 7.50"
AI-260	407 PICK UP	16	71.8 / 2.75"	230 / 9.00"
AI-261	407 PICK UP COATED	16	71.8 / 2.75"	230 / 9.00"
AI-262	L/L 3118 MSL TYPE LONG 4018 13"COATED	16	95 / 4.00"	323 / 12.75"
AI-263	TATA 4018 COATED	16	95 / 4.00"	295 / 11.5"
AI-264	CANTER EICHER	16	71.5 / 2.75"	170 / 6.75"



Part No.	Application	No. of Splines	Pipe Dia. (mm/inch)	Total Length (mm/inch)
AI-265	CANTER EICHER COATED	16	71.5 / 2.75"	170 / 6.75"
AI-266	10" (THIN SPLINES) L/L 2214/3516	30	95 / 4.00"	270 / 10.50"
AI-267	10" (THIN SPLINES) L/L 2214/3516 COATED	30	95 / 4.00"	270 / 10.50"
AI-268	10" (THICK SPLINES) L/L 2214/3516	16	95 / 4.00"	270 / 10.50"
AI-269	10" (THICK SPLINES) L/L 2214/3516 COATED	16	95 / 4.00"	270/10.50"
AI-270	L/L 8" 3516/3014/4018 TATA 1616	30	95 / 4.00"	225 / 9.00"
AI-271	L/L 8" 3516/3014/4018 TATA 1616 COATED	30	95 / 4.00"	225 / 9.00"
AI-272	L/L 3516, 8" THICK SPLINE	16	95 / 4.00"	225 / 9.00"
AI-273	L/L 3516, 8"(THICK SPLINE) COATED	16	95 / 4.00"	225 / 9.00"
AI-274	L/L 1613 TURBO	30	84 / 3.50"	225 / 9.00"
AI-275	L/L 1613 TURBO COATED	30	84 / 3.50"	225 / 9.00"
AI-276	L/L 350/370, TUSKER, BEDFORD HALF SPLINE	16	71.5 / 2.75"	200 / 8.00"
AI-277	L/L 350/370, TUSKER, BEDFORD HALF SPLINE COATED	16	71.5 / 2.75"	200 / 8.00"
AI-278	L/L 350/370, HALF SPLINES TUSKER BEDFORD TATA 1510TC	16	84.4 / 3.50"	200 / 8.00"
AI-279	L/L 350/370, HALF SPLINES TUSKER BEDFORD TATA 1510TC COATED	16	84.4 / 3.50"	200 / 8.00"
AI-280	L/L TURBO STAG, E-COMET	16	84 / 3.50"	222 / 8.75"
AI-281	L/L TURBO STAG, E-COMET COATED	16	84 / 3.50"	222 / 8.75"
AI-282	L/L 350/370, TUSKER, BEDFORD FULL SPLINE	16	71.5 / 2.75"	198 / 8.0"
AI-283	L/L 350/370, TUSKER, BEDFORD FULL SPLINE COATED	16	71.5 / 2.75"	198 / 8.0"



Part No.	Application	No. of Splines	Pipe Dia. (mm/inch)	Total Length (mm/inch)
AI-284	L/L 350/370, FULL SPLINES TUSKER BEDFORD TATA 1510TC	16	84.4 / 3.50"	199 / 8.00"
AI-285	L/L 350/370, FULL SPLINES	16	84.4 / 3.50"	199 / 8.00"
AI-286	L/L TARUS	30/16	82.7 / 3.50"	226 / 9.00"
AI-287	L/L TARUS COATED	16	82.7 / 3.50"	226 / 9.00"
AI-288	L/L TAURUS LONG N/M	16	82.7 / 3.50"	266 / 10.50"
AI-289	L/L TAURUS LONG N/M COATED	16	82.7 / 3.50"	226 / 10.50"
AI-290	L/L STAG E. COMET BUS	16	84.4 / 3.50"	254 / 10.00"
AI-291	L/L STAG, E. COMET BUS COATED	16	84.4 / 3.50"	254 / 10.00"

Mid Slip Shaft / Front Teeth



Part No.	Application	No. of Splines	Pipe Dia. (mm/inch)	Total Length (mm/inch)
AI-292	TATA 1312 (72mm)	26	68.2 / 2.75"	195 / 8.0"
AI-293	TATA 1312 (90mm)2416	26	84 / 3.5"	200 / 8.0"
AI-294	FRONT TEETH TATA 2518N/M	26	84 / 3.5"	198 / 8.0"
AI-295	TATA 1210 SE	14	68.2 / 2.75"	191 / 7.5"
AI-296	TATA 1210 SE N/M	14	84 / 3.5"	192 / 7.5"
AI-297	TATA 1210	14	64 / 2.5"	191 / 7.5"
AI-298	TATA 1510TC, L/L 1613 TURBO (HEAVY DUTY)	10	84.3 / 3.5"	144 / 6.0"
AI-299	TATA 2515/2518/2416/ L/L BIG HEAD	26	95 / 4.0"	197 / 8.0"
AI-300	TATA 2515/2518/2416 L/L BIG HEAD DOUBLE STEP	26	95 / 4.0"	196 / 8.0"
AI-301	TATA 3118	16	95 / 4.0"	189 / 7.5"
AI-302	TATA 4018	16	107.7 / 4.25"	190 / 7.5"
AI-303	TATA 2518 BEARING 6013 DOUBLE STEP	26	95 / 4.0"	174 / 7.0"
AI-304	TATA 2518 SINGLE STEP	26	95 / 4.0"	175 / 7.0"
AI-305	TATA LPK 3118 RSB 690	30	108.4 / 4.25"	224.5 / 9.0"
AI-306	TATA 3127, 2517 BOLT TYPE	20	112.4 / 4.5"	148 / 6.0"
AI-307	TATA 2518 BOLT TYPE	20	95 / 4.0"	158.5 / 6.25"
AI-308	LPT 5252 CLA 31.28 SDMT2055 BOLT TYPE	26	108.4 / 4.25"	148.5 / 6.0"
AI-309	TATA 4018	26	112.4 / 4.5"	177 / 7.0"
AI-310	TATA 3118 BOLT TYPE	26	95 / 4.0"	168.5 / 6.5"



Part No.	Application	No. of Splines	Pipe Dia. (mm/inch)	Total Length (mm/inch)
AI-311	TATA 4018	46	95 / 4.0"	189 / 7.5"
AI-312	TATA 709/909 MSL TYPE	16	70 / 2.75"	144 / 5.75"

Long Fork & Sleeve Bottle Set




Part No.	Application	No. of Spline	Cross Size (mm)	Pipe Dia. (mm/inch)	Fork Length (mm/inch)	Bottle Length mm/inch
AI-313	COMPLETE SPICER SPL 90, L/L 2516	20	41.27×126	95 / 4.0"	345 / 13.50"	170 / 7.0"
AI-314	COMPLETE SPICER SPL 90, L/L 2516 COATED	20	41.27×126	95 / 4.0"	345 / 13.50"	170 / 7.0"
AI-315	COMPLETE SPICER 2040 (I&S) SERIES SET WITH DUST COVER	34	47.68×135	95 / 4.0"	388 / 15.25"	268 / 10.5"
AI-316	COMPLETE SPICER 2040(I&S) SERIES SET WITH DUST COVER COATED	34	47.68×135	95 / 4.0"	388 / 15.25"	268 / 10.5"
AI-317	COMPLETE SPICER 2040 SERIES SET WITH DUST COVER	34	47.68×135	114.4 / 4.5"	355 / 14.0"	195 / 7.75"
AI-318	COMPLETE SPICER 2040 SERIES SET WITH DUST COVE COATED	34	47.68×135	114.4 / 4.5"	355 / 14.0"	195 / 7.75"
AI-319	SPR 2045 COMPLETE SPICER 2045 SERIES SET WITH DUST COVER	38	52×147	100.3 / 4.0"	395 / 14.75"	238 / 9.25"
AI-320	SPR 2045 COMPLETE SPICER 2045 SERIES SET WITH DUST COVER COATED	38	52×147	100.3 / 4.0"	395 / 14.75"	238 / 9.25"
AI-321	COMPLETE SPICER 2045 SERIES SET WITH DUST COVER	38	52×147	112.3 / 4.5"	314 / 12.25"	200 / 8.0"
AI-322	COMPLETE SPICER 2045 SERIES SET WITH DUST COVER COATED	38	52×147	112.3 / 4.5"	314 / 12.25"	200 / 8.0"



Part No.	Application	No. of Spline	Cross Size (mm)	Pipe Dia. (mm/inch)	Fork Length (mm/inch)	Bottle Length mm/inch
AI-323	COMPLETE SPICER 2055 SERIES SET WITH DUST COVER COATED	38	57×152	108.3 / 4.5"	333 / 13.0"	212 / 8.25"
AI-324	COMPLETE RSB 620 SERIES SET WITH DUST COVER COATED	36	57×152	108.3 / 4.5"	370 / 14.5"	201 / 8.0"
AI-325	COMPLETE SET TATA 4018 RSB 490	30	48×135	95 / 4.0"	400 / 15.75"	256 / 10.0"
AI-326	COMPLETE SET TATA 4018 RSB 490 COATED	30	48×135	95 / 4.0"	400 / 5.75"	256 / 10.0"
AI-327	COMPLETE SET RSB 590 COATED	30	52×147	95 / 4.0"	357 / 14.0"	224 / 9.0"
AI-328	SET 3118, RSB 590 WITH DUST COVER	30	52×147	95 / 4.0"	332 / 13.0"	195 / 7.75"
AI-329	COMPLETE SET SPICER 2040 SERIES K639 WITH DUST COVER COATED	34	47.68×135	91.4 / 4.0"	296 / 11.5"	218 / 8.5"
AI-330	TATA-LPT 2523 TC SRT AXLE L/L 1710 SERIES INTERRAXLE AL 3718 BSIV, 2518 BSIV	16	47.68×135	95 / 4.0"	370 / 14.5"	256 / 10.0"
AI-331	TATA LPTK 3718, LPK 3118, LPK 2518, LPS 4223, SIGNA 4923 VECV-PRO 6037	30	52×147	95 / 4.0"	397 / 15.75"	256 / 10.0"
AI-332	ASHOK LEYLAND-U4923	30	48×152	95 / 4.0"	368 / 14.5"	224 / 9.0"
AI-333	L/L 2818 MSL DESIGN	16	42×129	95 / 4.0"	330 / 13.0"	224 / 9.0"

Long Fork Assy. with Dust Cover



Part No.	Application	No. of Spline	Cross Size (mm)	Total Length (mm/inch)	Dust Cover Length (mm/inch)
AI-334	LONG FORK RSB 325 SERIES WITH DUST COVER	20	42×119	312 / 12.5"	137 / 5.5"
AI-335	LONG FORK RSB 325 SERIES WITH DUST COVER	20	42×119	400 / 15.75"	215 / 8.5"
AI-336	LONG FORK RSB 403 SERIES WITH DUST COVER	20	42×129	345 / 13.5"	137 / 5.5"
AI-337	LONG FORK RSB 403 SERIES WITH DUST COVER	20	42×129	378 / 15.0"	215 / 8.5"
AI-338	LONG FORK RSB 403 SERIES WITH DUST COVER	20	42×129	400 / 15.75"	215 / 8.5"
AI-339	LONG FORK RSB 490 SERIES WITH DUST COVER	30	48×135	323 / 12.75"	135 / 5.5"
AI-340	LONG FORK RSB 490 SERIES WITH DUST COVER	30	48×135	370 / 14.5"	170 / 7.0"
AI-341	LONG FORK TATA 4018 WITH DUST COVER	30	48×135	400 / 15.75"	170 / 7.0"
AI-342	LONG FORK SPICER 2040 (I&S) SERIES WITH DSUT COVER	34	47.68×135	388 / 15.25"	209 / 8.0"
AI-343	LONG FORK SPICER 2040 SERIES WITH DSUT COVER	34	47.68×135	355 / 14.0"	165 / 6.5"
AI-344	LONG FORK SPICER 2045 SERIES WITH DUST COVER	38	52×147	395 / 15.75"	205 / 8.0"
AI-345	LONG FORK SPICER 2047 SERIES WITH DUST COVER	38	52×147	314 / 12.25	144 / 6.0"
AI-346	LONG FORK SPICER 2055 SERIES WITH DUST COVER	38	52×152	333 / 13.0"	140 / 5.5"



Part No.	Application	No. of Spline	Cross Size	Total length mm/inch	Dust cover Length mm/inch
AI-347	LONG FORK SPICER 2060 SERIES WITH DUST COVER	40	59×167.7	350 / 13.75"	125 / 5.0"
AI-348	LONG FORK RSB 590 SERIES WITH DUST COVER	36	52×147	380 / 15.0"	170 / 7.0"
AI-349	LONG FORK RSB 620 SERIES WITH DUST COVER	36	57×152	370 / 14.5"	170 / 7.0"
AI-350	LONG FORK RSB 590 WITH DUST COVER	30	52×147	357 / 14.0"	170 / 7.0"
AI-351	LONG FORK TATA 3118 RSB 590 WITH DUST COVER	30	57×147	332 / 13.0"	135 / 5.5"
AI-352	LONG FORK TATA SPICER 2040 SERIES WITH DUST COVER	34	47.68×135	296 / 11.5"	165 / 6.5"
AI-353	LONG FORK 2040 SERIES WITH DUST COVER	34	47.68×13	330 / 13"	165 / 6.5"

Rear Housing / Sleeve Bottle



Part No.	Application	No. of Spline	Pipe Dia (mm/inch)	Total Length (mm/inch)
AI-354	TATA L/L 1710 SERIES INTERAXLE COATED	16	95 / 4.0"	256 / 10"
AI-355	TATA L/L 1710 SERIES INTERAXE	16	95 / 4.0"	256 / 10"
AI-356	TATA LPS 4928, LPTA 3138, LPK2528. L/L 3119N BHARAT	34	91.40 / 4.0"	268 / 10.5"
AI-357	TATA LPS 4928, LPTA 3138, LPK2528. L/L 3119N BHARAT	34	91.40 / 4.0"	268 / 10.5"
AI-358	TATA LPS 4928, LPTA 3138, LPK2528. L/L 3119N BHARAT H/Y WELD TAPE	34	91.40 / 4.0"	240 / 9.5"
AI-359	TATA LPS 4928, LPTA 3138, LPK2528. L/L 3119N BHARAT	34	91.40 / 4.0"	240 / 9.5"
AI-360	TATA LPS 4928, LPTA 3138, LPK2528. L/L 3119N BHARAT	34	91.40 / 4.0"	218 / 8.5"
AI-361	TATA LPS 4928, LPTA 3138, LPK2528. L/L 3119N BHARAT	34	91.40 / 4.0"	218 / 8.5"
AI-362	TATA LPS 4021, MAHINDRA NAVISTAR-4026 LEYLAND	34	114.4 / 4.5"	195 / 7.75"
AI-363	TATA LPS 4021, MAHINDRA NAVISTAR-4026 LEYLAND ULE	34	114.4 / 4.5"	195 / 7.75"
AI-364	TATA LPS 4028, LPK 3128 L/L 3123, BHARAT BENZ 2523C, 4023TT, EICHER TERRA 25T MAN CLA 18.28	38	100 / 4.0"	238 / 9.25"
AI-365	TATA LPS 4028, LPK 3128 L/L 3123, BHARAT BENZ 2523C, 4023TT, EICHER TERRA 25T MAN CLA 18.28 COATED	38	100 / 4.0"	238 / 9.25"
AI-366	TATA LPTA 1828 LPU 2138, L/L HMV 6X6 SHA-8T MERITOR	38	112.3 / 4.5"	200 / 8.0"



Part No.	Application	No. of Spline	Pipe Dia (mm/inch)	Total Length (mm/inch)
AI-367	TATA LPTA 1828 LPU 2138, L/L HMV 6X6 SHA-8T MERITOR	38	112.3 / 4.5"	200 / 8.0"
AI-368	TATA LPTA-1628 2038-L/L 4936, BHARAT BENZ LTPA-1628	38	108.3 / 4.5"	212 / 8.25"
AI-369	TATA 3118 RSB 590 8" LENGTH	30	95 / 4.0"	195 / 7.75"
AI-370	TATA 2518 FOR H/Y WELD WELTCH DESIGN COATED	20	95 / 4.0"	224 / 9.0"
AI-371	TATA 2518 FOR H/Y WELD WELTCH DESIGN COATED	20	95 / 4.0"	200 / 8.0"
AI-372	TATA 2518	34	91.4 / 4.0"	240 / 9.5"
AI-373	TATA 2518	34	91.4 / 4.0"	218 / 9.5"
AI-374	TATA 2515 AL 2518 BSIV	34	95 / 4.0"	224 / 9.0"
AI-375	SLEEVE BOTTLE SPR 2045 COATED	38	100.45 / 4.0"	277 / 11.0"
AI-376	RSB 590 9" COATED	30	95 / 4.0"	224 / 9.0"
AI-377	RSB 490 SERIES LONG TATA 4018/3118 COATED	30	95 / 4.0"	224 / 9.0"
AI-378	RSB 490 SERIES LONG TATA 4018/3118	30	95 / 4.0"	224 / 9.0"
AI-379	RSB 490 SERIES LONG TATA 4018/3118 COATED	30	95 / 4.0"	256 / 10.0"
AI-380	RSB 490 SERIES LONG TATA 4018/3118	30	95 / 4.0"	256 / 10.0"
AI-381	RSB 325 SERIES, TATA 2515 EX, 1613 TURBO COATED	20	84 / 3.5"	224 / 9.0"
AI-382	RSB 325 SERIES, TATA 2515 EX, 1613 TURBO	20	84 / 3.5"	224 / 9.0"
AI-383	RSB 403 SERIES LONG MEDIUM COATED	20	95 / 4.0"	224 / 9.0"



Part No.	Application	No. of Spline	Pipe Dia. (mm/inch)	Total Length (mm/inch)
AI-384	RSB 403 SERIES LONG MEDIUM	20	95 / 4.0"	224 / 9.0"
AI-385	RSB 403 SERIES, LONG INTERTAXLE TATA 2518 COATED	20	95 / 4.0"	262 / 10.5"
AI-386	RSB 403 SERIES, LONG INTERTAXLE TATA 2518	20	95 / 4.0"	262 / 10.5"
AI-387	RSB 490 SERIES, TATA 4018 COATED	30	95 / 4.0"	195 / 7.75"
AI-388	RSB 490 SERIES, TATA 4018	30	95 / 4.0"	195 / 7.75"
AI-389	RSB 403 SERIES SHORT TATA 2518 COATED	20	95 / 4.0"	170 / 7.0"
AI-390	RSB 403 SERIES SHORT TATA 2518	20	95 / 4.0"	170 / 7.0"
AI-391	RSB 325 SERIES TATA 2515 EX, 1613 TURBO COATED	20	84 / 3.5"	170 / 7.0"
AI-392	RSB 325 SERIES TATA 2515 EX, 1613 TURBO	20	84 / 3.5"	170 / 7.0"

Couplings



Part No.	Applications	No. of Spline	No. of Holders	Hole Size (mm)	Bolt No.	Plate Size (mm/inch)	Total Length (mm/inch)
AI-393	CENTRE COUP.TATA 2416	26	8	10.2	17 No.	130 / 5.0"	76 / 3.0"
AI-394	CENTRE COUP.TATA 1312	14	8	10.2	17 No.	130 / 5.0"	64.5 / 2.5"
AI-395	GEAR COUP. TATA 1312	16	8	10.2	17 No.	130 / 5.0	69.5 / 2.75"
AI-396	GEAR COUP. TATA 909 HT 61MM	16	8	10.2	17 No.	130 / 5.0	61 / 2.5"
AI-397	DIFF. COUP TATA 1312	26	8	10.2	17 No.	130 / 5.0	61 / 2.5"
AI-398	DIFF. COUP. TATA 4018 N/M	26	8	16.2	24 No.	165 / 6.5"	76 / 3.0"
AI-399	GEAR COUP. GBS-40	16	6	10.2	17 No.	120 / 4.75"	63 / 2.5"
AI-400	CENTRE COUP. TATA 1210	14	6	10.2	17 No.	120 / 4.75"	62 / 2.5"
AI-401	GEAR COUP TATA 1210	14	6	10.2	17 No.	120 / 4.75"	62 / 2.5"
AI-402	DIFF. COUP. TATA 1210	26	6	10.2	17 No.	120 / 4.75	61 / 2.5"
AI-403	CENTRE COUP. TATA 407	16	6	8.2	13 No.	100 / 4.0"	57 / 2.25"
AI-404	GEAR COUP. TATA 407	16	6	8.2	13 No.	100 / 4.0"	57 / 2.25"
AI-405	DIFF COUP. TATA 407	16	6	8.2	13 No.	100 / 4.0"	57 / 2.25"
AI-406	CENTRE COUP. CONVT 407/1210	16	6	10.2	17 No.	120 / 4.75"	54.5 / 2.25"
AI-407	GEARE COUP. CONVT 407/1210	16	6	10.2	17 No.	120 / 4.75"	54.5 / 2.25
AI-408	GEAR COUP.TC	16	4	Thread	Thread	Patti Type	100.5 / 4.0"
AI-409	DIFF. COUP. 1510 TC SPICER TYPE	26	4	Thread	Thread	Patti Type	112.5/4.5"
AI-410	CENTRE COUP. 2416 N/M HEIGHT 4" TATA 2515	26	8	10.2	17 No.	130 / 5.0"	92 / 3.75"

General Engineering Goods	
Part	Contents
	Container Corner Block
	Container Lock
	Container Trailer Lock
	Container Twist Lock
	Bell crank lever